

IFWO

RAW SEQUENCE LISTING


PATENT APPLICATION: US/10/826,966

DATE: 09/24/2004 TIME: 13:40:53

Input Set : D:\400 151 (MBHB03-465-D) Sequence Listing.txt

Output Set: N:\CRF4\09242004\J826966.raw

```
3 <110> APPLICANT: Sirna Therapeutics, Inc.
              McSwiggen, James
              Macejak, Dennis
              Morrissey, David
      8 <120> TITLE OF INVENTION: RNA Interference Mediated Inhibition of Gene Expression
Using
              Chemically Modified Short Interfering Nucleic Acid (siNA)
     11 <130> FILE REFERENCE: 400/151 (03-465-D)
     13 <140> CURRENT APPLICATION NUMBER: US 10/826,966
     14 <141> CURRENT FILING DATE: 2004-04-16
     16 <150> PRIOR APPLICATION NUMBER: US 10/757,803
     17 <151> PRIOR FILING DATE: 2004-01-14
     19 <150> PRIOR APPLICATION NUMBER: US 10/720,448
     20 <151> PRIOR FILING DATE: 2003-11-24
    22 <150> PRIOR APPLICATION NUMBER: US 10/693,059
    23 <151> PRIOR FILING DATE: 2003-10-23
    25 <150> PRIOR APPLICATION NUMBER: US 10/444,853
    26 <151> PRIOR FILING DATE: 2003-05-23
    28 <150> PRIOR APPLICATION NUMBER: US 10/652,791
    29 <151> PRIOR FILING DATE: 2003-08-29
    31 <150> PRIOR APPLICATION NUMBER: US 10/422,704
    32 <151> PRIOR FILING DATE: 2003-04-24
    34 <150> PRIOR APPLICATION NUMBER: US 10/417,012
    35 <151> PRIOR FILING DATE: 2003-04-16
    37 <150> PRIOR APPLICATION NUMBER: US 10/427,160
    38 <151> PRIOR FILING DATE: 2003-04-30
    40 <150> PRIOR APPLICATION NUMBER: PCT/US03/05346
    41 <151> PRIOR FILING DATE: 2003-02-20
    43 <150> PRIOR APPLICATION NUMBER: PCT/US03/05028
    44 <151> PRIOR FILING DATE: 2003-02-20
    46 <150> PRIOR APPLICATION NUMBER: US 60/358,580
    47 <151> PRIOR FILING DATE: 2002-02-20
    49 <150> PRIOR APPLICATION NUMBER: US 60/363,124
    50 <151> PRIOR FILING DATE: 2002-03-11
    52 <150> PRIOR APPLICATION NUMBER: US 60/386,782
    53 <151> PRIOR FILING DATE: 2002-06-06
    55 <150> PRIOR APPLICATION NUMBER: US 60/406,784
    56 <151> PRIOR FILING DATE: 2002-08-29
    58 <150> PRIOR APPLICATION NUMBER: US 60/408,378
    59 <151> PRIOR FILING DATE: 2002-09-05
    61 <150> PRIOR APPLICATION NUMBER: US 60/409,293
    62 <151> PRIOR FILING DATE: 2002-09-09
    64 <150> PRIOR APPLICATION NUMBER: US 60/440,129
```



65 <151> PRIOR FILING DATE: 2003-01-15

RAW SEQUENCE LISTINGPATENT APPLICATION: **US/10/826,966**DATE: 09/24/2004

TIME: 13:40:53

Input Set : D:\400 151 (MBHB03-465-D) Seqence Listing.txt

Output Set: N:\CRF4\09242004\J826966.raw

- 67 <150> PRIOR APPLICATION NUMBER: PCT/US02/15876 68 <151> PRIOR FILING DATE: 2002-05-17 70 <160> NUMBER OF SEQ ID NOS: 669 72 <170> SOFTWARE: PatentIn version 3.3 74 <210> SEQ ID NO: 1 75 <211> LENGTH: 21 76 <212> TYPE: RNA 77 <213> ORGANISM: Artificial Sequence 79 <220> FEATURE: 80 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA sense region 83 <220> FEATURE: 84 <221> NAME/KEY: misc_feature 85 <222> LOCATION: (1)..(1) 86 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity 88 <220> FEATURE: 89 <221> NAME/KEY: misc_feature 90 <222> LOCATION: (21)..(21) 91 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity 93 <400> SEQUENCE: 1 94 uaaccucgua cuggugccuc c 21 97 <210> SEQ ID NO: 2 98 <211> LENGTH: 21 99 <212> TYPE: RNA 100 <213> ORGANISM: Artificial Sequence 102 <220> FEATURE: 103 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA antisense region 106 <220> FEATURE: 107 <221> NAME/KEY: misc_feature 108 <222> LOCATION: (1)..(1) 109 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity 111 <220> FEATURE: 112 <221> NAME/KEY: misc feature 113 <222> LOCATION: (21)..(21) 114 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity 116 <400> SEQUENCE: 2 117 ggaggcacca guacgagguu a 21 120 <210> SEO ID NO: 3 121 <211> LENGTH: 21 122 <212> TYPE: RNA
- 123 <213> ORGANISM: Artificial Sequence
- 125 <220> FEATURE:
- 126 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA antisense region
- 129 <220> FEATURE:
- 130 <221> NAME/KEY: misc_feature
- 131 <222> LOCATION: (1)..(1)
- 132 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity
- 134 <220> FEATURE:
- 135 <221> NAME/KEY: misc_feature
- 136 <222> LOCATION: (21)..(21)

RAW SEQUENCE LISTING DATE: 09/24/2004 PATENT APPLICATION: US/10/826,966 TIME: 13:40:53

Input Set : D:\400 151 (MBHB03-465-D) Seqence Listing.txt

Output Set: N:\CRF4\09242004\J826966.raw

137 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity 139 <400> SEQUENCE: 3 140 aaacuccaag auccccaauc a 21 143 <210> SEQ ID NO: 4 144 <211> LENGTH: 21 145 <212> TYPE: RNA 146 <213> ORGANISM: Artificial Sequence 148 <220> FEATURE: 149 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA sense region 152 <220> FEATURE: 153 <221> NAME/KEY: misc feature 154 <222> LOCATION: (1)..(1) 155 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity 157 <220> FEATURE: 158 <221> NAME/KEY: misc_feature 159 <222> LOCATION: (21)..(21) 160 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity 162 <400> SEQUENCE: 4 163 ugauugggga ucuuggaguu u 21 166 <210> SEQ ID NO: 5 167 <211> LENGTH: 21 168 <212> TYPE: RNA 169 <213> ORGANISM: Artificial Sequence 171 <220> FEATURE: 172 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA antisense region 175 <220> FEATURE: 176 <221> NAME/KEY: misc_feature 177 <222> LOCATION: (1)..(1) 178 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity 180 <220> FEATURE: 181 <221> NAME/KEY: misc feature 182 <222> LOCATION: (21)..(21) 183 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity 185 <400> SEQUENCE: 5 186 guuggagucu guaggacuug g 21 189 <210> SEQ ID NO: 6 190 <211> LENGTH: 21 191 <212> TYPE: RNA 192 <213> ORGANISM: Artificial Sequence 194 <220> FEATURE: 195 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA sense region 198 <220> FEATURE: 199 <221> NAME/KEY: misc_feature 200 <222> LOCATION: (1)..(1) 201 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity 203 <220> FEATURE: 204 <221> NAME/KEY: misc feature

206 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity

205 <222> LOCATION: (21)..(21)

21

21

RAW SEQUENCE LISTING DATE: 09/24/2004 PATENT APPLICATION: US/10/826,966 TIME: 13:40:53 Input Set : D:\400 151 (MBHB03-465-D) Seqence Listing.txt Output Set: N:\CRF4\09242004\J826966.raw 208 <400> SEQUENCE: 6 209 ccaaguccua cagacuccaa c 21 212 <210> SEQ ID NO: 7 213 <211> LENGTH: 21 214 <212> TYPE: RNA 215 <213> ORGANISM: Artificial Sequence 217 <220> FEATURE: 218 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA antisense region 221 <220> FEATURE: 222 <221> NAME/KEY: misc_feature 223 <222> LOCATION: (1)..(1) 224 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity 226 <220> FEATURE: 227 <221> NAME/KEY: misc feature 228 <222> LOCATION: (21)..(21) 229 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity

231 <400> SEQUENCE: 7
232 gcaaaaaccc ugugauuucc u

235 <210> SEQ ID NO: 8

236 <211> LENGTH: 21

237 <212> TYPE: RNA

238 <213> ORGANISM: Artificial Sequence

240 <220> FEATURE:

241 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA sense region

244 <220> FEATURE:

245 <221> NAME/KEY: misc feature

246 <222> LOCATION: (1)..(1)

247 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity

249 <220> FEATURE:

250 <221> NAME/KEY: misc_feature

251 <222> LOCATION: (21)..(21)

252 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity

254 <400> SEQUENCE: 8

255 aggaaaucac aggguuuuug c

258 <210> SEQ ID NO: 9

259 <211> LENGTH: 21

260 <212> TYPE: RNA

261 <213> ORGANISM: Artificial Sequence

263 <220> FEATURE:

264 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA antisense region

267 <220> FEATURE:

268 <221> NAME/KEY: misc_feature

269 <222> LOCATION: (1)..(1)

270 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity

272 <220> FEATURE:

273 <221> NAME/KEY: misc_feature

274 <222> LOCATION: (21)..(21)

275 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity

277 <400> SEQUENCE: 9

RAW SEQUENCE LISTING DATE: 09/24/2004 PATENT APPLICATION: US/10/826,966 TIME: 13:40:53

Input Set: D:\400 151 (MBHB03-465-D) Seqence Listing.txt Output Set: N:\CRF4\09242004\J826966.raw

```
278 uuggucaguu ucuggcaguu c
                                                                            21
281 <210> SEQ ID NO: 10
282 <211> LENGTH: 21
283 <212> TYPE: RNA
284 <213> ORGANISM: Artificial Sequence
286 <220> FEATURE:
287 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA sense region
290 <220> FEATURE:
291 <221> NAME/KEY: misc_feature
292 <222> LOCATION: (1)..(1)
293 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity
295 <220> FEATURE:
296 <221> NAME/KEY: misc feature
297 <222> LOCATION: (21) .. (21)
298 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity
300 <400> SEQUENCE: 10
301 gaacugccag aaacugacca a
                                                                            21
304 <210> SEQ ID NO: 11
305 <211> LENGTH: 21
306 <212> TYPE: RNA
307 <213> ORGANISM: Artificial Sequence
309 <220> FEATURE:
310 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA sense region
313 <220> FEATURE:
314 <221> NAME/KEY: misc_feature
315 <222> LOCATION: (1)..(1)
316 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity
318 <220> FEATURE:
319 <221> NAME/KEY: misc feature
320 <222> LOCATION: (21)..(21)
321 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity
323 <400> SEQUENCE: 11
324 gguccuuucu uggaucaacc c
                                                                            21
327 <210> SEQ ID NO: 12
328 <211> LENGTH: 21
329 <212> TYPE: RNA
330 <213> ORGANISM: Artificial Sequence
332 <220> FEATURE:
333 <223> OTHER INFORMATION: Description of Artificial Sequence: siNA antisense region
336 <220> FEATURE:
337 <221> NAME/KEY: misc_feature
338 <222> LOCATION: (1)..(1)
339 <223> OTHER INFORMATION: 5'-3 attached terminal deoxyabasic moeity
341 <220> FEATURE:
342 <221> NAME/KEY: misc feature
343 <222> LOCATION: (21)..(21)
344 <223> OTHER INFORMATION: 3'-3 attached terminal deoxyabasic moeity
```

346 <400> SEQUENCE: 12 347 ggguugaucc aagaaaggac c

21

RAW SEQUENCE LISTING ERROR SUMMARY PATENT APPLICATION: US/10/826,966

DATE: 09/24/2004 TIME: 13:40:54

Input Set : D:\400 151 (MBHB03-465-D) Seqence Listing.txt

Output Set: N:\CRF4\09242004\J826966.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:67; N Pos. 20,21 Seg#:68; N Pos. 20,21 Seq#:69; N Pos. 20,21 Seq#:70; N Pos. 20,21 Seg#:71; N Pos. 20,21 Seg#:72; N Pos. 20,21 Seq#:73; N Pos. 20,21 Seq#:74; N Pos. 20,21 Seq#:75; N Pos. 20,21 Seq#:76; N Pos. 20,21 Seg#:77; N Pos. 20,21 Seq#:78; N Pos. 20,21 Seq#:79; N Pos. 20,21 Seq#:80; N Pos. 20,21 Seq#:82; N Pos. 14,15 Seq#:84; N Pos. 12,13 Seq#:85; N Pos. 20,21 Seq#:86; N Pos. 20,21 Seq#:87; N Pos. 20,21 Seq#:88; N Pos. 20,21 Seq#:89; N Pos. 20,21 Seq#:90; N Pos. 20,21 Seq#:91; N Pos. 20,21 Seq#:92; N Pos. 20,21 Seq#:93; N Pos. 20,21 Seq#:94; N Pos. 20,21 Seg#:95; N Pos. 20,21 Seq#:96; N Pos. 20,21 Seq#:97; N Pos. 20,21 Seq#:98; N Pos. 20,21 Seq#:99; N Pos. 20,21 Seg#:100; N Pos. 20,21 Seq#:101; N Pos. 20,21 Seq#:102; N Pos. 20,21 Seq#:103; N Pos. 20,21 Seq#:104; N Pos. 20,21 Seq#:105; N Pos. 20,21 Seq#:106; N Pos. 20,21 Seg#:107; N Pos. 20,21 Seq#:108; N Pos. 20,21 Seq#:109; N Pos. 20,21 Seq#:110; N Pos. 20,21 Seq#:111; N Pos. 20,21

Seq#:112; N Pos. 20,21

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 09/24/2004 PATENT APPLICATION: US/10/826,966 TIME: 13:40:54

Input Set : D:\400 151 (MBHB03-465-D) Seqence Listing.txt

Output Set: N:\CRF4\09242004\J826966.raw

```
Seq#:113; N Pos. 20,21
Seq#:114; N Pos. 20,21
Seq#:115; N Pos. 20,21
Seq#:116; N Pos. 20,21
Seq#:117; N Pos. 20,21
Seq#:118; N Pos. 20,21
Seq#:119; N Pos. 20,21
```

Invalid Line Length:

The rules require that a line not exceed 72 characters in length. This includes spaces.

```
Seq#:175; Line(s) 3562
Seq#:290; Line(s) 5618
Seq#:474; Line(s) 13058
Seq#:478; Line(s) 13265
Seq#:482; Line(s) 13467
Seq#:486; Line(s) 13639
Seq#:490; Line(s) 13811
Seq#:494; Line(s) 13983
Seq#:498; Line(s) 14160
Seq#:502; Line(s) 14342
Seq#:506; Line(s) 14519
Seq#:521; Line(s) 14789
Seq#:522; Line(s) 14821
Seq#:523; Line(s) 14848
Seq#:524; Line(s) 14875
Seq#:525; Line(s) 14902
Seq#:526; Line(s) 14934
Seq#:527; Line(s) 14966
Seq#:528; Line(s) 14999
Seq#:529; Line(s) 15032
```

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/826,966

DATE: 09/24/2004 TIME: 13:40:54

Input Set : D:\400 151 (MBHB03-465-D) Sequence Listing.txt
Output Set: N:\CRF4\09242004\J826966.raw

```
L:1387 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:67 after pos.:0
L:1405 \text{ M}:341 \text{ W}: (46) \text{ "n" or "Xaa" used, for SEQ ID$$\#:68 after pos.:0$
L:1423 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:69 after pos.:0
L:1441 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:70 after pos.:0
L:1464 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:71 after pos.:0
L:1512 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:72 after pos.:0
L:1535 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:73 after pos.:0
L:1558 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:74 after pos.:0
L:1581 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:75 after pos.:0
L:1604 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:76 after pos.:0
L:1652 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:77 after pos.:0
L:1680 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:78 after pos.:0
L:1703 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:79 after pos.:0
L:1726 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:80 after pos.:0
L:1756 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:82 after pos.:0
L:1786 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:84 after pos.:0
L:1839 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:85 after pos.:0
L:1862 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:86 after pos.:0
L:1915 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:87 after pos.:0
L:1933 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:88 after pos.:0
L:1951 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:89 after pos.:0
L:1969 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:90 after pos.:0
L:1987 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:91 after pos.:0
L:2005 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:92 after pos.:0
L:2023 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:93 after pos.:0
L:2041 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:94 after pos.:0
L:2059 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:95 after pos.:0
L:2077 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:96 after pos.:0
L:2095 \ M:341 \ W: (46) "n" or "Xaa" used, for SEQ ID#:97 after pos.:0
L:2113 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:98 after pos.:0
L:2131 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:99 after pos.:0
L:2174 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:100 after pos.:0
L:2197 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:101 after pos.:0
L:2245 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:102 after pos.:0
L:2268 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:103 after pos.:0
L:2291 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:104 after pos.:0
L:2314 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:105 after pos.:0
L:2337 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:106 after pos.:0
L:2355 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:107 after pos.:0
L:2373 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:108 after pos.:0
L:2391 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:109 after pos.:0
L:2409 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:110 after pos.:0
L:2427 \ M:341 \ W: (46) "n" or "Xaa" used, for SEQ ID#:111 after pos.:0
L:2445 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:112 after pos.:0
L:2463 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:113 after pos.:0
L:2481 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:114 after pos.:0
L:2499 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:115 after pos.:0
L:2517 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:116 after pos.:0
```

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/826,966

DATE: 09/24/2004 TIME: 13:40:54

Input Set : D:\400 151 (MBHB03-465-D) Sequence Listing.txt

Output Set: N:\CRF4\09242004\J826966.raw

L:2535 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:117 after pos.:0
L:2553 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:118 after pos.:0
L:14748 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (517) SEQUENCE:
L:14754 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (518) SEQUENCE:
L:14760 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (519) SEQUENCE:
L:14765 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (520) SEQUENCE:
L:15089 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (531) SEQUENCE: